



A2DIY-C5 (v 2.24)

QUICK START INSTALL GUIDE FOR BLUETOOTH HANDS-FREE, STREAMING AND AUX KIT IN SELECT 1997-04 CORVETTE

Created January 16, 2020

Revised August 2, 2024

PRODUCT SAFETY & DISCLAIMER

READ ALL INSTRUCTIONS CAREFULLY BEFORE INSTALLING. FAILURE TO DO SO MAY CAUSE PERSONAL INJURY OR DAMAGE TO PRODUCT AND/OR PROPERTY

- This installation guide is provided as a GENERAL installation guide, some vehicles vary and may require additional steps. We do not accept responsibility for third party labor charges or modifications. Exercise due-diligence when installing this product.
- We do not accept any responsibility for vehicle damage or personal injury resulting from the installation of this product.
- Careless installation and operation can result in equipment damage.

REQUIREMENT

1997-04 CORVETTE RADIOS [EXCEPT 1997-99 AM/FM/CD RADIOS]

Introduction

This easy to install Bluetooth “triple play” kit is essential to keeping your American classic as stock possible. The A2DIY-C5 module sounds great for mobile conversations, streaming music, AUX playback and more. The included media remote is used to adjust device volume, pause/play tracks and easily mounts to steering wheel or dashboard and essential to reducing driver distraction. In addition, an **optional** USB type-C charging kit is available to charge those power-hungry devices while on the road. Keep original C5 radio (Bose or non-Bose) while enjoying Bluetooth features only available in newer cars.



If vehicle has a 12-disc changer: it **must be disconnected** at the 10-pin plug in trunk/hatch. To retain CD changer operation, purchase our [A2DIY-C5CD](#) instead.

See **Frequently Asked question** at the end of this guide for more details.

Installation

Radio/dashboard removal required to install this kit.

1. Disconnect negative battery terminal (don't ignore this step)
2. Remove radio from dash to access the connectors

For help with radio removal, click video links below:

<https://www.youtube.com/watch?v=Gcrlufolctc>

<https://www.youtube.com/watch?v=WTbWYNJTSDs>

3. With radio removed, locate 20-pin plug (See **Fig. 1**) and disconnect by pressing “black” release tab



Fig. 1



Warning: 32-pin connector (pictured above) on climate control module is not relevant to this install.

4. Connect factory 20-pin plug (from step 1), to installation harness 20-pin connector (white) (See **Fig. 2**).




Fig. 2
installation harness

5. Connect installation harness 20-pin black/gray plug (See **Fig. 2**) to radio 20-pin radio socket vacated in step 3
6. **Go to step 8 if not connecting AUX option, otherwise**
7. Connect supplied 3.5mm audio cable (See **Fig. 3**) to module "AUX" jack (See **Fig. 4**). Route audio cable to dash area or wherever Aux device will reside (within 3 ft.)



Fig. 3
Audio cable



Fig. 4

8. Secure microphone (See **Fig. 5**) to visor or headliner using included visor clips (See **Fig. 6**)



Fig. 5
Microphone



Fig. 6
Visor clip

9. Route microphone (See **Fig. 5**) down pillar, under driver kick panel and across to radio cavity.
10. Connect microphone to module "MIC" jack (See **Fig. 4**)
Be cautious not to damage or cut both microphone cable.



11. Reconnect negative battery terminal

Optional charging kit

With optional USB-type C charging kit –smart devices remain charged while on the road. Custom install in convenient location (dashboard, armrest, glove box etc.). and discover how this charger is a massive improvement over many anemic aftermarket cigar lighter chargers etc.

This kit support charging. Not for audio playback.



We suggest one of 3 installation options:

A. Flush to dash/panel requires drilling a $\frac{3}{4}$ " hole

B. Flush with support bracket (Mount terminal wherever your installation demands without drilling)

C. Freestanding- (default)

A. Flush to dash/panel (drilling required)

1. Drill a $\frac{3}{4}$ " hole in the dash/panel using a step drill bit or equivalent (See Fig. 10)



Fig. 10
Step drill bit

2. Insert cable through hole created in step 1
3. On module installation harness locate charger **Fig. 11**
4. Connect cable from step 2 to charger USB type C- port



Fig. 11

5. Snap USB head to opening until flush with surface (See **Fig. 12**)



Fig. 12

Tuck and secure any extra wire from moving parts and test operation

B. Bracket Mount **(No drilling)**

1. Locate a flat surface at location of choice within 3.2 ft. of module and mount support bracket (See **Fig. 14**) to surface screws (included).



Fig. 14
mounting bracket

2. Insert cable through hole in bracket (See **Fig. 15**) and connect to charger (See **Fig. 11**)



Fig. 15

3. Snap USB head to bracket opening until flush (See **Fig. 16**)



Fig. 16

4. Tuck and secure any extra wire away from moving parts and test operation (*See Bluetooth Pairing and Connection*)

Media remote control

The included media remote is used to control select Bluetooth functions without having to fumble with smart device while driving, however; most functions can also be performed using voice activation commands or smart device touch screen/buttons.

Pairing: Ensure Bluetooth is enabled on your device (e.g., Smartphone/Tablet etc.) scan/search for available devices and select BT009/Q3 from list. Media remote can be paired with multiple devices but operated by one at a time.



Fig. 18

Installation:

Attach remote to steering wheel (includes holder) or dashboard to safely and conveniently control multi-media functions even when smartphone is out of reach.

Charging:


This remote has a built-in rechargeable 200mAH battery which may last up to 10 days. Use supplied USB cable or similar to charger. Reaches full charge after approximately 2 hours.



Remote control operation:

Once paired, users may perform the following functions on iOS devices with Bluetooth 3.0 and later and Android 4.0 or later.


Remote control functions do not apply to the Corvette radio. Remote can also be used at home etc. to control music played on a Bluetooth speaker etc.



Bluetooth pairing and connection

This process must be carried out upon initial install after which the AZDIY-C5 automatically reconnects with last paired device upon entering vehicle. (Turning ignition key)

1. Go to smartphone settings and enable Bluetooth
2. Smartphone will automatically begin searching for devices.
3. Select Bluetooth name below (LANNI or CSR8645) ; tap "Connect"



Note: Supports multiple phone pairings but connects to one smart device at a time. If for some reason smart device fails to pair, ensure no other has paired to module in such case you must un-pair that device in order to pair another.

Warning: Caller ID, song name etc. are **not shown on radio screen**. Operate smart device via media button, VR (voice recognition) or device built-in controls. Use radio buttons to adjust playback and tone controls (e.g., Bass/treble etc.)

Operation


1. Turn ignition and radio "ON"
2. Press "AUX" button on radio

Note: If AUX button does not function, reset radio by disconnecting car battery for between 45 and 60 minutes. After reconnections AUX button should now function. **NOTE: 1997-99 AM/FM/CD Radios are not compatible.**



Fig. 20

3. Launch streaming application (e.g. Pandora, Apple music etc.)
4. Use device built-in control or remote control to change tracks, adjust device volume, pause/play etc.
5. Place test phone call or ask someone to call. Press remote "Pause/Play" button to accept/end call.
Use remote Pause/Play button to switch between AUX playback and Bluetooth or simply pause smart device playback.
6. If correct operation is confirmed go ahead and reinstall radio.



Notes:

1. If playback is distorted or low, adjust volume level on smart device.
2. On incoming calls, ring tone also plays on car speakers
3. Bluetooth range is approximately 20 ft. ensure device is within range
4. *Remote does not control AUX device nor factory radio functions.
5. In the absence of audio playback (device paused etc.) tic-tic noise will be heard and disappears soon as device is placed in play mode.

Feature comparison: Bluetooth Hands-free calling and music streaming (See Table 1). For music streaming only (See Table2)

Table 1 (See Footnotes)

Modules	A2DIY-C5CD	A2DIY-C5
Retains changer playback	YES	NO
Requires working CD changer	YES	NO
Audio input jack (Aux in)	*	YES
USB charging kit	*	*
Hands-free calling (HPF)	YES	YES
Music Streaming (A2DP)	YES	YES
Connects at radio location	YES	YES
Connects in trunk	NO	NO
VR support	YES	YES
Remote control/media button	YES	YES
Controls from radio buttons	NO	NO

*Optional

Table 2 (See footnotes)

Modules	A2D-C5	BLU-C5
Retains changer playback	YES	NO
Requires working CD changer	YES	NO
Audio input jack (Aux in)	NO	NO
USB-type C charging port	*	*
Hands-free calling (HPF) support	NO	NO
Music streaming (A2DP) support	YES	YES
Connection to radio (with PXHGM4 harness)	YES	YES
Connection in trunk (with PXHGM2 harness)	YES	YES
VR support (e.g. Siri)	**	**
Smart remote	*	*
Controls from radio buttons	NO	NO

*Optional (Check order page for option)

** Voice recognition possible directly on Apple or Android device

Frequently asked questions

1. **What's the difference between your A2DIY-C5 and A2DIY-C5CD?**
The A2DIY-C5CD requires a functioning CD changer and the A2DIY-C5 does not, other than that they are identical.
2. **Does the A2DIY-C5 work on all Corvette radios?**
Works on **1997-04 AM/FM/TAPE** radios and **2000-04 AM/FM/CD** radios with "AUX" button on faceplate. (Bose and non-Bose)
3. **Will I be able to control smartphone using C5 radio buttons?**
NO; use included media button smart device built-in controls/touch screen, voice controls or. Use radio volume knob to set playback level.
4. **Will the radio display call number or song name?**
NO. This is not possible on the C5 radio.
5. **How do I listen to device connected to AUX jack?**
Press **AUX** button on radio until DISC 6 TRACK 1 is displayed, then press **PLAY/PAUSE** button on remote control.
6. **Will radio mute when I receive or make phone call?**
Muting is possible only if radio is in "AUX" (Bluetooth) mode. If in AM/FM, CD or TAPE mode; muting is not possible. In addition, user must press "AUX" button (Bluetooth mode) for caller to be heard on car speakers.
7. **My second phone does not pair or find Bluetooth module?**
In order to pair a second device, ensure **no other device is currently** paired. Un-pair or disable Bluetooth on any such device. Module then enters discovery mode and ready for pairing.
8. **Will I be able to play flash/thumb drives on optional USB port?**
NO; USB type -C charging port **does not support** thumb/flash drives and limited to charging.
9. **Where does the module install and do I have to remove radio from dashboard?**
Module connects to the back of the radio (requires radio removal). Click video link below for radio removal instructions:
<https://www.youtube.com/watch?v=WTbWYNJTSDs>
10. **My device plays intermittently. What can cause this?**
Ensure smartphone volume level is not at max. Reduce device volume level and re-test.

11. **Will the CD player (built-into radio) or Tape player (built-into radio) still work after installing this module?**
The CD player and Tape player built-into AM/FM radio are not compromised by this module. Separate I2-disc changer (if present) must be disconnected at the 10-pin plug in trunk/hatch. To retain I2-disc changer, purchase our [A2DIY-C5CD](#) instead.
12. **Callers not able to hear my voice with top down (convertible). Can you offer some guidance?**
Convertible owners are advised to install visor microphone in area less susceptible to wind noise (e.g. pillar, mirror etc.).
13. **My radio enters aux mode but displays an "Err" message. What is possibly wrong?**
 - a. **Bad Module**—try resetting radio/module by disconnecting car battery for between 25-60 minutes—reconnect and test.
 - b. **CD changer remains connected** – if vehicle has optional I2-disc changer (in trunk/hatch), ensure it is disconnected at 10-pin plug. (It is not possible to have both CD changer and module simultaneously connect to the C5 radio.
 - c. **1999-99 AM/FM/CD radios are not compatible**

Disclaimer

- This product has no affiliation with GM or Apple
 - When possible, professional installation is recommended
- Email support@discountcarstereo.com

© 1995-Aug-24 Discount Car Stereo, Inc. All rights reserved. Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.