



HON03-AUX

AUXILIARY INPUT ADAPTER INSTALLATION GUIDE FOR SELECT 2003-12 HONDA & ACURA

Created: January 15, 2017
Revised October 29, 2021

PRODUCT SAFETY & DISCLAIMER

READ ALL INSTRUCTIONS CAREFULLY BEFORE INSTALLING, FAILURE TO DO SO MAY CAUSE PERSONAL INJURY OR DAMAGE TO PRODUCT AND/OR PROPERTY

- This installation guide is provided as a GENERAL installation guide, some vehicles vary and may require additional steps. We do not accept responsibility for third party labor charges or modifications. Exercise due-diligence when installing this product.
- We do not accept any responsibility for vehicle damage or personal injury resulting from the installation of this product.
- Careless installation and operation can result in equipment damage.

Requirements:

RADIO WITH CD CHANGER CONTROLS

Introduction

This simply aux adapter allows users to connect and play any audio device with a 3.5mm jack to select 2003-12 Honda- Acura radios. Simply connect adapter to the radio 14-pin external device port and to audio device and enjoy stored content or music or internet connected smartphone. The HON03-AUX replaces external CD changer, single cd player/cassette in lower dash or SiriusXM.

Installation

Remove radio from dashboard to gain access to the connector. (Vehicle specific radio removal instructions are not part of this guide, but may be available upon request)

Warning! Vehicles with blue 14-pin connector (See Fig. 2) are not compatible. Must have 14-pin white connector see in Fig.1

1. Locate 14-pin connector (See Fig. 1) on radio. (Usually on back or bottom)




Fig. 1
Radio 14-pin port



Fig. 2
14-way plugs

2. Disconnect any device (XM Tuner, external slave cd/cd changer/cassette player)
3. Connect adapter 14-pin plug to radio 14-pin port (See Fig. 1)

Warning: To retain GPS guidance or Satellite Radio (SiriusXM), our [HON03-F/MM](#) t-harness (sold separately) is required

4. Connect 3.5mm audio cable (See Fig. 3) to adapter jack (See Fig. 4) and route other end to wherever audio device will reside (within 3 ft.)



Fig. 3
3 ft. Aux cable



Fig. 4
3.5mm jack

Operation

1. Turn ignition and radio "ON"
2. Press radio "CD" button
3. Place audio device in play mode. If distorted, lower the volume on phone or if inaudible, raise volume on phone.

Warning! Playlist and Track selection is **NOT** possible from the radio. Use the smartphone built-in controls to access and control the audio files.

If correct operation is confirmed go ahead and reinstall the radio.

Frequent asks questions

1. **I'm currently subscribed to SiriusXM. Does this adapter work with SiriusXM?**
YES. To retain SiriusXM you must purchase and install the [HON03-F/MM T-harness](#). (sold separately)
2. **There is a CD changer in trunk. Will it still work?**
NO. External CD changer, Slave Cassette, Or Slave CD must be disconnected in order to use this part.
3. **Does the HON03-AUX work on all Honda radios?**
NO; Works on select 2003-12 Honda-Acura radios with CD changer controls (14-pin port on back of radio).
4. **My radio has a built-in 6 CD changer, will the HON03-AUX Work?**
YES. So long radio has the required 14-pin port
5. **Can I use the radio buttons to control my audio device?**
NO; you must use audio device built-in controls to browse music library.
6. **Will I be able to make phone calls using this device?**
NO; the HON03-AUX does not support Hands-Free calls; however, speakerphone may be possible if phone supports it.

Disclaimer

- This product has no affiliation with Honda, Acura.
- We're not liable for misuse of this product.
- We recommend professional installation.

email support@discountcarstereo.com

© 1995-Oct-21 Discount Car Stereo, Inc. All rights reserved. Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders