



A2D-CHRY02

QUICK START INSTALLATION GUIDE FOR CHRYSLER RADIOS WITH REMOTE CD CHANGER, RSE OR ACTIVE SIRIUS SUBSCRIPTION

created August 10, 2015

Revised: September 13, 2021

PRODUCT SAFETY & DISCLAIMER

READ ALL INSTRUCTIONS CAREFULLY BEFORE INSTALLING, FAILURE TO DO SO MAY CAUSE PERSONAL INJURY OR DAMAGE TO PRODUCT AND/OR PROPERTY

- This installation guide is provided as a GENERAL installation guide, some vehicles vary and may require additional steps. We do not accept responsibility for third party labor charges or modifications. Exercise due-diligence when installing this product.
- We do not accept any responsibility for vehicle damage or personal injury resulting from the installation of this product.
- Careless installation and operation can result in equipment damage.

Requirement

Working CD changer or Active Sirius subscription*

Introduction

Many Chrysler vehicle owners looking for an easy and simple way to play audio devices while keeping factory audio system will be thrilled to find this adapter. If vehicle has a remote/external CD changer or **active Sirius subscription**, the A2D-CHRY02 module provides a **wireless music streaming solution** for any smartphone, tablet, with A2DP profile all without sacrificing the remote/external CD changer or **active Sirius subscription**.

A wireless connection means no wires, clutter or complicated setup. The A2D-CHRY02 connects to the 10-pin port which guarantees to best possible sound.

Warning: Sirius subscription must be active or vehicle must have a remote CD changer or RSE.

Vehicle must have at least one (CD changer, RSE or ACTIVE Sirius radio subscription) for this module to work as described. Don't ignore this warning!!

See **Frequently Asked question** at the end of this guide for details.

Installation

Radio removal required to gain access to connectors. Vehicle specific radio removal is not part of this guide; however, they may be available upon request.

With radio out;

1. Disconnect 10-pin plug (See **Fig. 1**) from radio (See **Fig.2**)
2. Connect factory 10-pin plug module 10-pin connector (See **Fig. 3**)
3. Connect module to 10-pin plug (See **Fig. 1**) to radio 10-pin connector (See **Fig. 2**)



Fig. 1
10-pin plug




Fig. 2



Fig. 2

10-pin connector

4. Connect Red Acc. wire to switched/Acc. supply in vehicle. One possible option is tapping radio power/speaker harness at **pin 12** (See Fig. 4) (wire color varies, from white, pink, etc.) however pin 12 is one possible accessory source.

Another possible source is fuse panel or cigar lighter plug.

Warning: Red wire must only be connected to accessory/switched supply. Permanent/Battery supply will drain car battery and is not recommended.





Fig. 4

5. Secure module and proceed to next step.

Pairing

Pairing process varies from phone to phone but basic steps are the same. This process is done upon initial install and will not have to be repeated

1. Turn Ignition and Radio "ON"
LED inside adapter peephole will flash (pairing mode)
2. On A2DP device: Go to **Settings, Wireless & Networks, Bluetooth Settings**
3. Select **Bluetooth** and turn on.
4. Then select Bluetooth settings
5. Tap **Scan for devices**.
6. Wait for the Bluetooth device name to appear and select it. (See below)
LED inside adapter peephole will glow steady (paired)




Optional wireless remote

This remote control is not required for module to work as described; however, it makes for a safer ride as user will not have to fumble the audio device while driving. (does not control factory radio functions)

Optional Bluetooth wireless remote control allows users to:


1. Control music wirelessly
2. Track up/down
3. Volume up/down

Pairing:




Controls:

Use Bluetooth wireless remote to perform the following functions on iOS7.0 and higher or Android 4.4 and higher.



Package Contents:



Operation

1. Turn ignition and radio "ON"
2. Press "MODE" button (See Fig. 5)



Fig 5

Chrysler rounded face radio with Mode button

3. Launch Smartphone or tablet audio application and ensure device volume is 80% or higher

Warning! Use smartphone built-in controls to access and control audio files or applications.

To listen to Sat. radio or External CD changer:

- a. Press "MODE" button on radio
- b. **Disable Bluetooth** on device.

Use radio buttons to control Sat radio or Cd changer as customary.

2. To return to music streaming:

Enable Bluetooth in audio device settings screen.

Note: Streaming audio has priority and remains until Bluetooth has been disabled. CD changer/Sirius radio playback is only possible when Bluetooth is disabled or device is out of range.

4. If correct operation is confirmed go ahead and reinstall radio.

Frequently ask questions

1. **Will the A2D-CHRY02 work on all Chrysler 10-pin radios?**
NO; Works on Chrysler radios with external CD changer or **Active Satellite** radio subscription or RSE. At least one factory option required for module to work as described.
2. **My Satellite radio has expired and vehicle does not have external CD changer or RSE. Will I still be able to use this module?**
NO; this module works only with Active Satellite subscription, external CD changer or RSE. **Do not buy to test—it does not work!!**
3. **Can I use the A2D-CHRY02 for hands-free calling?**
NO; The A2D-CHRY02 supports music streaming. **Not for hands-free calls.**
4. **Will I have to disconnect my satellite radio or separate CD changer?**
NO; this module **requires and retains** Sirius subscription or external CD changer operation or RSE and at least one option must be present for this module to work as described.

Disclaimer

- This product has no affiliation with Chrysler
- We're not liable for misuse of this product.
- We recommend professional installation

Email support@discountcarstereo.com

© 1995-Sep-21 Discount Car Stereo, Inc. All rights reserved. Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.