

Courtesy of:DiscountCarStereo.com



A2D-VW02

Bluetooth Audio Streaming Installation Guide for VW Group

Created October 1, 2015

Revised: March 25, 2017

Introduction:

Many Audi and VW owners don't have any intentions of buying a SiriusXM subscription and many don't use CD's but eager to find a way to connect and play their Smartphone or Tablet on the car system. This is the perfect scenario for the A2D-VW02. The A2D-VW02 only requires that the vehicle be equipped with an XM Module or an **external CD Changer**** and uses that port to provide a wireless connection for any A2DP enabled Smartphone or Tablet. A wireless connection means no wires, clutter or complicated setup, simply pair the device and enjoy. **SiriusXM Module or external CD Changer is disabled when the A2D-VW02 is installed.** See Frequently Asked Questions at the end of this guide.

Installation:

Warning! Although not critical, we recommend disconnecting the car battery. Keep in mind that many Audi/VW radios are coded and will not operate without the code. Radio code must be available for radio to operate upon reconnection.

Remove radio from the dashboard to gain access to the connector. Round edge radios (e.g. RNS, RCD etc.) must disassemble dash for removal and instructions are not part of this guide but available upon request. Square edge Radios (e.g. Premium 6, 7 etc.) require (4) removal tools (See **Fig. 1**) which must be purchased separately.



Fig. 1
Radio removal Tools

1. To remove radio, slide tools into (4) slots at each corner as illustrated in **Fig. 2**. Withdraw the radio by pulling outwards.




Fig. 2

2. disconnect factory 12-way plug (if present) (See **Fig. 3**)



Fig. 3
Radio Connectors

3. Connect the 12-way plug from adapter (See **Fig. 5**) into radio slot vacated in step 2



Fig. 5

4. Ground adapters black lead. One option is to use one of the radio screws and secure ground wire to radio chassis.



5. Secure adapter box and proceed to next section.

Pairing:

The pairing process varies from Phone to Phone but the basic steps are the same. This process is done upon initial install and will not have to be repeated

1. Turn Ignition and Radio “ON”
Blue LED in adapter peephole will flash
2. On A2DP device: go to **Settings, Wireless & Networks, Bluetooth Settings**

3. Select **Bluetooth** and turn on.
4. Then select Bluetooth settings
5. Tap **Scan for devices**.
6. Wait for the Bluetooth device name to appear and select it.
Once paired the Blue LED in adapter peephole will glow steady



Test Operation:

1. Turn the Ignition and Radio “ON”
2. Press the “CD” button on Radio
3. Launch Smartphone or tablet streaming application.
4. Use the radio volume control button to set the playback level.

Warning! Playlist and Track selection is *NOT* possible from the Radio. Use the smartphone built-in controls to access and control the audio files.

5. If correct operation is confirmed go ahead and reinstall the Radio

Frequently asked questions

1. **My vehicle has both an external CD Changer and SiriusXM Tuner; will I lose both when this adapter is installed?**
YES; this adapter takes the place of the CD Changer and/or XM.
2. **Does the A2D-VW02 work in vehicles with a 6-CD Changer radio (changer is built-into the radio)?**
YES; but the external CD Changer (if present) must be disconnected and will no longer function.
3. **Can I use the A2D-VW02 for hands free calls?**
NO; the A2D-VW02 does not support Hands-Free Calling but does support wireless Audio Streaming Profile (A2DP).
4. **Will I be able to control my phone from the radio buttons?**
NO, you must use Smartphones or Tablet built-in control for music selection

Important Notes:

The A2D-VW02 works in select VW Group Vehicles **with an external CD CHANGER and/or SiriusXM Radio.**

Your vehicle must have at least one of these two options for the Adapter to work. In the case of SiriusXM, no subscription is required but the Satellite Radio Tuner is required

Plug-n-play installation **to factory radio in the dash** (does not connect to the wiring in the trunk or elsewhere)

**** External or remote CD Changer refers to the optional Changer installed in glove box, lower dash, center armrest, hatch, trunk etc. (external CD Changer is **not the Changer built-into the head unit e.g. Symphony Radio etc.)****

Disclaimer

- This product has no affiliation with Audi, VW
- There are no warranties expressed or implied by purchase of this product
- We're not liable for misuse of this product.
- We recommend professional installation.

Call 804-717-5717 or email support@discountcarstereo.com

© 1995-17 Discount Car Stereo, Inc. All rights reserved. Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.