





A2D-VW02

BLUETOOTH MUSIC STREAMING INSTALLATION GUIDE FOR SELECT 2002-11 VW GROUP VEHICLES

Created October 1, 2015 Revised: September 23, 2021

PRODUCT SAFETY & DISCLAIMER

READ ALL INSTRUCTIONS CAREFULLY BEFORE INSTALLING, FAILURE TO DO SO MAY CAUSE PERSONAL INJURY OR DAMAGE TO PRODUCT AND/OR PROPERTY

- This document is provided as a GENERAL installation guide, some vehicles vary and may require additional steps. We do not accept responsibility for third party labor charges or modifications. Exercise due-diligence when installing this product.
- We do not accept any responsibility for vehicle damage or personal injury resulting from the installation of this product.
- Careless installation and operation can result in equipment damage.

Requirements

FACTORY RADIO WITH CD CHANGER CONTROLS

Introduction

Many Audi and VW owners have no intentions of renewing or purchasing SiriusXM subscription, don't use CD's and tired of the same radio commercials yet eager to find a way to connect and play their Smartphone or Tablet on the car system. Say hello to the A2D-VWO2. The A2D-VWO2 uses the CD changer port to provide a wireless connection for any A2DP enabled Smartphone or Tablet. A wireless connection means no wires, clutter or complicated setup, simply pair the device and enjoy.

<u>SiriusXM module</u> and/or <u>external CD changer</u> are disabled once the A2D-VWD2 is installed.

See Frequently Asked Questions at the end of this guide.

Installation

Warning! Although not critical, we recommend disconnecting the car battery. Keep in mind that many Audi/VW radios are coded and will not operate without the code. Radio code must be available for radio to operate upon reconnection.

Radio removal required to gain access to connector.

Rounded face radios (e.g., RNS, RCD etc.) requires disassembling dashboard for removal. Radio removal instructions for these radios are not part of this guide but available upon request.

Square face radios (e.g., Premium 6, 7 etc.) require (4) removal tools (See **Fig.** 1) which must be purchased separately.



Fig. 1 Radio removal Tools

 To remove radio, slide tools into (4) slots at each corner as illustrated in Fig. 2. Withdraw the radio by pulling outwards.





Fig. 2

2. Disconnect 12-pin plug (if present) (See Fig. 3) from radio connector



Fig. 3 Radio connector

Connect adapter 12-pin plug (See Fig. 4) to radio as seen in Fig. 3



Fig. 4

4. Connect adapter black to ground. One option is to use radio chassis screw to secure ground wire to radio (ground)



5. Secure adapter box and proceed to next section.

Pairing

Pairing process varies among devices but the basic steps are the same. This process is done upon initial install and will not have to be repeated

Turn Ignition and Radio "ON" Blue LED will flash

- On A2DP device: go to **Settings, Wireless & Networks, Bluetooth Settings**
- Select *Bluetooth* and turn on.
- Then select Bluetooth settings
- Tap **Scan for devices**.
- 6. Wait for the Bluetooth device name to appear and select it. *Once paired the* Blue LED will glow steady

Bluetooth



Now discoverable as "King Solomon's iPhone".

MY DEVICES

SKY International

Connected (i)



Operation

- Turn the Ignition and radio "ON"
- Press "CD" button on radio.
- 3. Launch Smartphone or tablet streaming application.
- Use the radio volume control button to set the playback level.

Warning! Playlist and Track selection is *NOT* possible from the Radio. Use the smartphone built-in controls to access and control the audio files.

5. If correct operation is confirmed go ahead and reinstall radio

Frequent ask questions & troubleshooting

- My vehicle has both an external CD changer and SiriusXM Tuner; will I lose both when this adapter is installed?
 - YES; this adapter takes the place of the CD changer and/or XM.
- Does the A2D-VWO2 work in vehicles with a 6-CD changer radio (changer is built-into the radio)?
 - **YES**; The changer built-into AM/FM radio is not affected. Only external CD Changer require disconnection.
- Can I use the A2D-VWO2 for hands free calls?
 NO; the A2D-VWO2 does not support Hands-Fee Calling but does support wireless music streaming profile (A2DP).
- Will I be able to control my phone from the radio buttons?
 NO, you must the Smartphones or Tablet built-in control for music selection

Important Notes:

Plug-n-play installation **to factory radio in the dash** (does not connect to the wiring in the trunk or elsewhere

** External or remote CD changer refers to the optional changer installed in glove box, lower dash, center armrest, hatch, trunk etc. (external CD Changer is not the changer built-into the head unit e.g., Symphony Radio etc.)

Disclaimer

- This product has no affiliation with Audi, VW
- There are no warranties expressed or implied by purchase of this product
- We're not liable for misuse of this product.
- •We recommend professional installation.

email support@discountcarstereo.com

© 1995-17 Discount Car Stereo, Inc. All rights reserved. Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.