







BTA-GM3x

QUICK START AUDIO STREAMING INSTALLATION GUIDE FOR GM CLASS II VEHICLES WITH XM MODULE

Created August 16, 2024 Revised December 20, 2024

PRODUCT SAFETY & DISCLAIMER

READ ALL INSTRUCTIONS CAREFULLY BEFORE INSTALLING, FAILURE TO DO SO MAY CAUSE PERSONAL INJURY OR DAMAGE TO PRODUCT AND/OR PROPERTY

- This installation guide is provided as a GENERAL installation guide, some vehicles vary and
 may require additional steps. We do not accept responsibility for third party labor charges
 or modifications. Exercise due-diligence when installing this product.
- We do not accept any responsibility for vehicle damage or personal injury resulting from the installation of this product.
- Careless installation and operation can result in equipment damage.

Requirements:

Vehicle must have an XM module (U2K) with or without subscription WTH OR WTHOUT RSE (DVD)

Introduction

Most 2003-12 GM Class II vehicles were outfitted with XM and with it a 1-year free subscription. Many opted to renew subscription while others did not, nevertheless the XM module remain hidden. If your GM vehicle has the hideaway XM module (See Fig. 1); active or expired subscription; the new BTA-GM3x (formerly A2D-GM3x) makes use of the XM port to input audio from smart device. A Bluetooth connection means no wires, clutter or complicated setup. Simply connect the BTA-GM3x to the 16-pin port on XM module (in remote area including trunk, hatch, near glovebox etc.) pair audio device, and enjoy music applications including internet music streaming sites, audiobooks, GPS apps and more. For the BTA-GM3x to work, vehicle must have XM module (with or without subscription). If XM subscription is active; service remains uninterrupted.

See Frequently Asked question at the end of this guide for details.

WARNING: XM module is not part of or built-into the AM/FM radio, but a separate "metal box" in remote area (e.g., under glovebox, rear side panels, trunk etc.) See table at the end of this guide for possible XM module location.

Installation —to XM module in remote location

WARNING: The BTA-GM3x connects to the 16-pin plug at XM module location. The harness will NOT fit 12-pin connector on the AM/FM headunit (radio).

- Locate XM module. (See Fig. 1)
 For help locating XM module, go to last page of this guide.
- Disconnect 16-pin plug from XM module by pressing black release tab (See Fig. 1)

Note: Tuners with Delphi plug (See Fig. 2) must first pull back blue locking tab, then black release tab. (Avoid pulling wires) (See Fig. 2)



Fig. 1 XM module



Fig. 2 Delphi 16-pin plug


3. Connect 16-pin plug from step 2 (See Fig. 2) to 16-pin socket on harness (See Fig. 3)




Fig. 3 16-pin socket

- 4. Connect 16-pin plug from harness (See **Fig. 2**) to XM module 16-pin socket vacated in step 2.
- 5. Tap/connect red wire to **12V Accessory supply** in vehicle. Use voltmeter or test light to determine circuit condition and ensure power is only available when ignition key is in "ACC", 'ON ", "RUN" or "RAP" positions. Accessory supply usually available in vehicle fuse blocks.

Do not connect red wire to 12V constant (battery) supply. Not only will module not automatically pair upon entering vehicle, but could eventually drain car battery.





Warning: Accessory (ACC) supply available on BROWN wire (Most GM's) under steering column or climate control harness or in driver side fuse panel.

AUX JACK installation (Vehicles without DVD and/or expired XM subscription) otherwise skip to step 8

6. Carefully route aux jack (See Fig. 4) to location on dash or nearby panel where it will be mounted (within 3 ft.) final location will vary based on vehicle and customer's preference.



AUX Input jack **Fig. 4**

7. Optional: Drill a 15/64 or 1/4" hole in dash or panel, push aux jack shaft through and secure with nut (See Fig. 5)



Fig. 5

Warning: Aux jack may be left freestanding, but to be mounted, ensure panel is <u>less than 4mm</u> thick otherwise shaft may not protrude enough to engage with nut. If necessary, use dremel, sander etc. to thin panel or choose alternate mounting location.

 Connect installation harness 16-pin plug (See Fig. 6) to module 16-pin connector (See Fig. 7)



Fig, 6



Fig. 7

Optional USB extension cable installation

Please note: Optional USB dash mount extension cable is not required for operation; however, it extends the module USB port (See Fig. 10) to dashboard, glovebox etc. and USB port supports software updated and charging only

Drill a ¾" hole to dash or panel using a step drill bit or equivalent (See Fig. 8) As an alternative; use the included bracket (See Fig. 12A) to mount USB without drilling.



Fig.8

Fish USB cable terminal (See Fig. 9) through hole created in step 1 and plug into USB port on module (See Fig. 10)



Fig. 9 USB cable



Fig. 10

3. Snap header (See Fig. 11) to surface until flush (See Fig.12)



Fig. 11



Fig. 12



Fig. 13

4. Secure module and proceed to pairing

Pairing

Pairing varies among devices but basic steps are the same. This process is done upon initial install and will not have to be repeated

- 1. Turn ignition and radio "ON"
- 2. From your Bluetooth enabled device, turn the Bluetooth ON and search for Bluetooth devices.
- 3. When a list of available Bluetooth devices appears on your Bluetooth device, select "DisCarSt" (See Fig. 14)
- 4. Confirmation "tone" is heard on car speakers.
- 5. The unit will automatically enter the BT Audio source and you can now start streaming audio from your Bluetooth enabled device. Note: If the mobile phone doesn't support SSP (Simple Secure Pairing) Profile, please enter the pass code of "DDD"

Bluetooth				
Now discoverable as "King Solomon's iPhone".				
MY DEVICES				
DisCarSt	Connected (i)			
	Fig. 14			

Operation

- 1. Turn ignition and radio "ON"
- 2. Press "BAND" button on radio to enter Bluetooth mode
- 3. On smart device, Launch streaming application of choice
- 4. Use wireless remote control buttons or device built-in controls to change tracks, adjust device volume, pause etc. (See **Fig. 15**)
- 5. To listen to XM (if subscribed), press Pause/Play on remote control.
- To switch back to streaming, press Pause/Play button on remote control
- To listen to "AUX" device (not subscribed/no DVD), press Pause/Play button on remote control
- To listen to DVD audio on car speakers, press Pause/Play on remote control: Note: DVD audio will play on headphone regardless.
 Note: To adjust volume (+/-) use tapping action instead of tap and hold



9. If correct operation is confirmed go ahead and reinstall radio.

Feature comparison chart

Feature	BTA-GM3	BTA-GM3x	BTH-GM3x	BT5x-GM3X
Requires CD changer or XM	✓	✓	✓	Х
Retains CD changer or XM	✓	✓	✓	Х
Wired audio input (AUX)	*	*	*	X
Charging (USB)	✓	✓	✓	**
Supports streaming	✓	✓	✓	✓
Supports hands-free calls	χ	Х	✓	✓
Visor microphone	Х	χ	✓	✓
Requires 12V ACC connection	✓	✓	✓	✓
Remote control	✓	✓	✓	✓
Connects to vehicles	Headunit	XM module	Headunit	XM module

^{*}Aux is optional and will replace XM or remote CD changer playback

^{**}Optional USB type-c charging kit can be added

Frequent ask questions & troubleshooting

Does the BTA-GM3x work if my XM subscription has expired?
 YES; The main requirement is that vehicle be equipped with the XM tuner box (subscription is optional) See Fig. 16



Fig. 16

- 2. My vehicle is equipped with both DVD (RSE) and XM module; do I need to disconnect anything for the BTA-GM3x to work?
 - NO; The BTA-GM3x <u>requires</u> XM module to function. If vehicle has RSE (DVD), <u>it must also have XM module</u>. The BTA-GM3x works in vehicles with RSE (DVD) but also requires XM Module (with or without subscription).
- 3. My vehicle does not have RSE (DVD), but does have an XM module (expired subscription). Will the BTA-GM3x work?
 - **YES**; As long as vehicle has XM module; the BTA-GM3x works even if subscription has expired and even without RSE (DVD)
- 4. Can I use the BTA-GM3x to make/receive phone calls?
 NO; the BTA-GM3x does not support Hands-Fee calls. Supports music streaming only. Purchase our BTH-GM3x for Bluetooth hands-free and music streaming.
- I've followed the install guide but not able to listen to XM. Streaming continues to play after pressing "BAND" button on radio.
 Press PAUSE/PLAY button on remote control to switch between streaming and XM (if subscribed).
- 6. My vehicle has XM module (expired subscription); however, I do plan to subscribe in the future. Which option should I select when ordering? If XM is currently expired but plan to activate at a later date; purchase "active subscription" (Subscribed) otherwise XM will not play once activated.

- 7. What's the difference between "Active Subscription" and "Expired subscription"? Expired subscription means you no longer have a plan and do not intend to ever activate the service. Active subscription means you are currently subscribed or plan to subscribe at a future date.

 Warning: If you purchase "Expired subscription" and decide to activate later; XM will not play.
- 8. My radio has a "BAND" button but vehicle does not have an XM tuner; will the BTA-GM3x work?

 If vehicle does not have an XM module the BTA-GM3x sadly, will not work (even if vehicle has RSE because the BTA-GM3x connects to the XM module 16-pin plug)
- 9. Where is the XM module located in my vehicle? See chart below

Make	Model	XM module location
Buick	Allure	Left Rear Q-Panel
	Enclave	Right Rear Q-Panel
	LaCrosse	Behind Rear-Left Q-Panel (Trunk)
	LeSabre	Left Rear Q-Panel
	Lucerne	Left Rear Trunk
	Rainier	Above Pass-side dash Panel
	Rendezvous	Behind glovebox
	Terraza	Above steering column
Cadillac	CTS	Rear Shelf (Deck) Left Side
	DTS	Left-Rear (Trunk)
	Deville	Behind Rear Seat/Left Q-Panel
	Escalade (EXT/ESV)	Behind Glovebox
	SRX	Behind Rear Right Q-Panel
	XLR	Between Seats
Chevrolet	Avalanche	Behind glovebox
5.1577 5.51	Cavalier	Rear Shelf (Deck) center
	Colorado	Behind Glovebox
	Corvette Coupe	Rear Left Q-Panel (above wheel well)
	Corvette Convertible	Between Seats inside hatch cover
	Equinox	Left Rear Q-Panel
	HHR	Rear Right Q-Panel
	Impala	Right Rear Q-Panel
	Malibu	Under Shelf (deck) left Side
	Monte Carlo	Behind Rear Left Q-Panel
	Silverado	Behind glovebox

	Suburban	Behind glavebax
	Tahoe	Behind glovebox
	Trailblazer	Behind glovebox
	Uplander	Above Steering Column
	Venture	Above Steering Column
		-
GMC	Acadia	Rear Right Q-Panel
	Canyon	Behind glovebox
	Denali/XL	Behind glovebox
	Envay	Behind glovebox
	Sierra	Behind glovebox
	Yukon/Denali	Behind glovebox
Hummer	H2	Behind Glovebox
	H3	Behind Glovebox
İsuzu	Ascender	Behind Glovebox
Oldsmobile	Alero	Right Front Passenger compartment
	Bravada	Behind Glovebox
	Silhouette	Above Steering Column
Pontiac	Aztek	Behind Glovebox
	Bonneville	Left Rear Q-Panel
	Grand AM	Left Rear Q-Panel
	Grand Prix	Right Front Passenger Compartment
	GG	Rear (Trunk)
	G8	Rear (Trunk)
	Montana	Above Steering Column
	Sunfire	Rear Deck (center)
	Vibe	Right Rear Q-Panel
Saab	9-7x	Under Glovebox panel
Saturn	Relay	Above Steering Column

Disclaimer

- This product has no affiliation with GM
 We're not liable for misuse of this product.
 We recommend professional installation

Email support@discountcarstereo.com

© 1995-Dec-24 Discount Car Stereo, Inc. All rights reserved. Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.