



PXDXFD4

Quick Start Installation Guide for 2000-04 Ford 12-pin Radios

Revised March 27, 2019

Introduction:

Many Ford and Jaguar Owners looking for a simple and effective way of connecting their portable audio devices to the car system will be pleased to find this kit. The PXDXFD4 Kit works on **1999-04 Focus/Cougar & 2000-02 Jaguar S-type** and the only requirement is to disconnect the factory **external CD Changer****, but with the storage capacity of most portable devices, sacrificing the CD Changer should be an easy decision.

Installation:

Remove radio from dashboard to gain access to the connectors. Special removal tools are required. (Not included) (See **Fig. 1**)



Fig. 1
Radio Removal Tool

1. To remove Ford radio simply push tools into keyholes on both sides of radio until locked, then (1) push tools slightly sideways and (2) pull forward as illustrated in **Fig. 2**




Fig. 2

2. Look for green 12-pin connector as seen in **Fig.2**




Fig. 2
12-pin Radio Connectors

3. If present- disconnect factory 12-pin plug from radio and connect black 12-pin plug from installation harness (See **Fig. 3**)



Fig. 3
Installation harness

4. Connect 22-pin Molex plug from installation harness (See **Fig. 3**) to the 22-pin connector on Module (See **Fig. 4**)



Fig. 4
22-pin Molex connector

5. Turn dip switches # 2 & # 8 to "ON" or down. All others should be "OFF" or Up (See **Fig. 5**)



Fig. 5
dip-switches

6. Connect one of two audio cables included to 8-pin input on Module. (See **Fig. 6**)



Fig. 6
8-pin DIN input

7. Route 3.5mm plug to front of the dash or location where audio device will reside (within 6 ft.) or connect and route a set of audio cables (not included) to audio device

Test Operation:

1. Turn Radio "ON"
2. Press "CD" button on radio to enter CD Changer Mode
3. Connect audio device to 3.5mm plug on 6 ft. Audio cable (See **Fig. 6**) or to RCA jacks.



Fig. 6
3.5mm plug

4. Search audio device for a test track and hit play. Music from Audio device will play on car speakers.
5. Use radio volume control button to set the playback level. To reduce distortion we recommended setting audio device volume level to 80% or less

Warning! Playlist and Track selection is *NOT* possible from the radio. You must use the audio devices built-in controls to access audio files.

6. If correct operation is confirmed go ahead and reinstall the Radio.

Frequent asked questions

1. **Does the PXDXFD4 work on other Focus Radios?**
NO; Focus with Blaupunkt CD/MP3 Player requires our [PXDXFB](#).
2. **Can I use the radio buttons to control the audio device**
NO; Auxiliary input adapters are passive devices that do not control the audio device. Use audio device built-in controls to access music files. Use radio volume control button to set playback level.
3. **Can I charge my iPod or iPhone from this module?**
NO; this module is for audio playback only, however with **optional** [PDDCBLB-5V](#) dock cable, users can play and charge (no controls) Apple 30-pin iPod and iPhones or as an alternate purchase our [PXDP Kit](#)
4. **Does this Kit work on other Jaguar Radios**
NO; The PXDXFD4 works only on 2000-02 S-Type Radios with "CD" Changer controls

** External or remote CD Changer refers to the optional Changer installed on the lower dash, center armrest, hatch, trunk etc. (external CD Changer is not the Changer built-into the head unit)

Email support@discountcarstereo.com

©1995-Mar-19 Discount Car Stereo, Inc. All rights reserved. Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.